

# 8 CH PoE NVR

8MP/6MP/5MP/4MP/3MP/1080P/720P HD PoE NVR



MODEL **TN-808P8-N**



HD Output



HD IPC



DDNS



Network



PTZ



Audio



MIC



Mobile



CMS



USB



Mouse



E-mail



STD



VCA

## KEY FEATURES

- Support 8CH 8MP/6MP/5MP/4MP/3MP/1080P/1280×1024/960P/720P/960H/DI/CIF IP video input
- Adopt standard H.265 and H.264 high profile compression format to get high-quality video at much lower bit rate
- Intuitive and user-friendly Graphic User Interface ( GUI ), Windows style operation by mouse
- Multi-mode recording: manual / timed / motion / sensor / POS / AI recording
- Playback : 8CH simultaneous playback
- Search : time slice, time, event, tag, smart search
- Support multiple VCA (Video Content Analytics) events, such as object abandoned/missing, region intrusion, tripwire, video exception, etc.
- Support POS information overlay on live view and playback
- Express and flexible backup via USB, network and so on
- Pentaplex : preview, record, playback, backup and remote access
- DHCP, DDNS, PPPoE network protocol
- Remote control via Web or CMS : preview, playback, backup, PTZ and configuration
- 8 PoE network ports; IPC can be directly connected to NVR; PoE power supply supported
- Dual stream technology for local storage with high definition, remote network transmission and remote surveillance with mobile device
- Multi-user online simultaneously
- Authorization management, log view and device status view
- 4K output, true high resolution display
- Support NAT function and QRCode scanning by mobile phones
- Powerful mobile surveillance by smart phones with iOS and Android OS



CMS (Remote Viewing Apps) --- NVMS (PC / MAC)



Mobile App --- Super Live Plus (ANDROID / IOS)

# TN-808P8-N

## 8MP/6MP/5MP/4MP/3MP/1080P/720P HD PoE NVR

### SPECIFICATIONS

Model		TN-808P8-N
System	OS	Embedded Linux
Video	Network Input	8CH IPC input
	Network Input Resolution	"8MP/6MP/5MP/4MP/3MP/1080P/1280x1024/960P/720P/960H/D1/CIF"
	Output	"HDMI x 1 : 3840 x 2160 / 1920 x 1080 / 1280 x 1024 / 1024 x 768 VGA: 1920 x 1080 / 1280 x 1024 / 1024 x 768"
	Compression	H.265S / H.265+ / H.265 / H.264
Audio	Network Input	8 CH IPC audio input
	2-way Audio	RCA x 1
	Local Output	RCA x 1
	Compression	G.711(U/A)
Record	Resolution	"8MP/6MP/5MP/4MP/3MP/1080P/1280x1024/960P/720P/960H/D1/CIF"
	Frame Rate	NTSC:30fps; PAL:25fps
Playback	Simultaneous Playback	Max. 8 CH
	Search	Time slice / time / event / tag / smart search
	Smart Search	Highlighted color to display the camera record in a certain period of time, different colors refers to different record events
	Function	Play, pause, FF, FB, digital zoom, etc.
Decoding Capability	Live View / Playback	1CH 8MP / 4CH 1080P
Alarm	Mode	Manual, sensor, motion, exception, smart events
	Input	Supports IPC alarm input
	Output	Supports IPC alarm output
	Triggering	Record, snap, preset, e-mail, etc.
Other Functions	Plate Recognition	Yes
	Fisheye	No
Video Structure Analysis	Human/Vehicle Classification	Yes
	Interface	RJ 45 x 1 (10/100/1000Mbps)
Network	Protocol	TCP / IP, PPPoE, DHCP, DNS, DDNS, UPnP, NTP, SMTP, HTTP, HTTPS, 802.1x, ONVIF, etc.
	Incoming / Outgoing Bandwidth	80/80 (Mbps)
	Client Connection	Max. 10 users access
Mobile Device	OS	iOS, Android
Storage	HDD Interface	SATA3.0 x 1, max 10T
Backup	Local Backup	U disk, USB mobile HDD
	Network Backup	Yes
Port	USB	USB 2.0 x 2
	Remote Controller	Optional
PoE	PoE Ports	100M RJ45 x 8
	Standards	IEEE802.3AF/AT
	Output Power	≤ 96W
Others	Power Supply	DC 48V/2.5A
	Consumption	≤ 10W ( without HDD )
	Dimensions (mm)	300 x 249 x 45 (W x D x H)
	Working Environment	-10~50 °C, 10%~90% humidity
	Certificate	CE, FCC
	Environmental Protection	Complies with Directive EU RoHS, REACH and WEEE

### DIMENSIONS

